
Attachment D to Addendum 1



10" APC EXTERIOR WALL PANELS SANDBLASTED STUCCO FINISHED OR BRICK **RETURN APC** TILES WHERE INDICATED **EXTERIOR** (SHOWN DASHED). FINISH INTO OPENING. PROVIDE 1" X 3" WD **BLOCKING FOR WDW FIXING** WHITE PREFINISHED THERMALLY BROKEN WDW TRIM SET ALUM. WDW. TRIPLE GLAZED WDW WITH IN BED OF SLNT EXTERIOR FLUSH PANE GLASS. HORIZONTAL SNAP IN GRID SYSTEM OR SURFACE APPLIED MUNTIN. INTERIOR HINGED 1/4" TEMPERED INBOARD LITE WITH CUSTODIAL OPERATION. INTEGRAL BLINDS FIXED AT TOP AND BOTTOM W/ TILT CONTROL

10 2 APC WALL WDW JAMB REV 1 AS500 AD1-01 1 1/2" = 1'-0"

AS302



PROJECT:
75 Mental Health RRTP Beds

Window Details

PROJERSON
ENGINEERING
PROJ #: 13316

DRAWN BY:


DRAWN BY:

Window Details


SCALE: As indicated
DATE: 02/26/2014

AD1-01

Attachment D to Addendum 1




12 APC WALL WDW HEAD REV 1 AS500 AD1-02 1 1/2" = 1'-0"



APC WALL WDW HORIZ MUNTIN 20 2 WINDOW MANF. OPTIONS REV 1

AS500 AD1-02 1 1/2" = 1'-0"



3 APC WALL WDW SILL REV 1 AS500 AD1-02 1 1/2" = 1'-0"

PROJ #: 13316



PROJECT: 75 Mental Health RRTP Beds Window Details ANDERSON ENGINEERING DRAWN BY: DRAWN BY: SCALE: 1 1/2" = 1'-0" DATE: 02/26/2014 AD1-02